CENTERS FOR MEDICARE & MEDICAID SERVICES CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS
MAYO CLINIC LABS - ROCHESTER SUPERIOR
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55905-1770

CLIA ID NUMBER 24D1040592

EFFECTIVE DATE

10/04/2019

EXPIRATION DATE

10/03/2021

LABORATORY DIRECTOR

WILLIAM G MORICE M.D.

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Karen W. Dyer, Director Division of Laboratory Services Survey and Certification Group

Center for Clinical Standards and Quality

166 certs2_091019

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

LAB CERTIFICATION (CODE)	EFFECTIVE D
BACTERIOLOGY (110) MYCOLOGY (120)	10/04/2005 10/04/2005
VIROLOGY (140)	10/04/2005
SYPHILIS SEROLOGY (210)	10/04/2005
GENERAL IMMUNOLOGY (220)	10/04/2005
ROUTINE CHEMISTRY (310)	10/04/2005
ENDOCRINOLOGY (330)	10/04/2005
TOXICOLOGY (340)	10/04/2005
HEMATOLOGY (400)	01/04/2019

LAB CERTIFICATION (CODE)

EFFECTIVE DATE

