

Pursuant to the act of September 26, 1951, P.L. 1539 as amended, a Permit to operate a Clinical Laboratory is hereby granted to:

Laboratory Identification Number: 29685A

Name and Director of Laboratory:

MAYO CLINIC LABS-ROCH SUPERIOR DR WILLIAM G. MORICE II 3050 SUPERIOR DRIVE NW ROCHESTER, MN 55901

Owner:

**MAYO CLINIC** 

ISSUE DATE: August 15, 2020

**DATE EXPIRES: August 15, 2021** 

**AUTHORIZED CATEGORIES/TESTS:** 

BACTERIOLOGY

CLINICAL CHEMISTRY

MYCOLOGY

NON-SYPHILIS SEROLOGY

SYPHILIS SEROLOGY

TOXICOLOGY - ALCOHOL BLOOD

TOXICOLOGY - ALCOHOL SERUM / PLASMA

**TOXICOLOGY - BLOOD LEAD** 

TOXICOLOGY - DRUGS SERUM CONFIRMATORY

Fentanyl and Analogs (DSC)

TOXICOLOGY - DRUGS SERUM SCREENING

TOXICOLOGY - DRUGS URINE CONFIRMATORY

TOXICOLOGY - DRUGS URINE SCREENING

TOXICOLOGY - ERYTHROCYTE PROTOPORPHYRIN

VIROLOGY

Clade

Rachel L. Levine, MD Secretary of Health

DISPLAY THIS CERTIFICATE PROMINENTLY

This permit is subject to revocation, suspension, or limitation for violation of the Act or the Regulations promulgated thereunder.